

# CHECKLIST OF ALASKA BIRDS

## 30th edition—2024

As of January 2024 the list of avian taxa known in Alaska included 545 naturally occurring species in 67 families and 21 orders. Phylogenetic sequence, limits of orders, families, and genera, and English and scientific names of species follow *The A.O.U. Check-list of North American Birds* (7th ed., American Ornithologists' Union 1998) and supplements (through 2023). Founded on archived specimens, the Alaska checklist includes species known in Alaska only from specimens and/or (archived) photo evidence. An appended 'unsubstantiated' list comprises an additional 17 species attributed to Alaska without specimen or photo substantiation.

### KEY TO SYMBOLS:

- ✓ RARE (Annual or possibly annual in small numbers; most such species occur at the perimeter of Alaska, in season; a few are scarce residents)
- ★ CASUAL (Not annual; these species are beyond the periphery of annual range, but recur in Alaska at irregular intervals, usually in seasonal and regional patterns)
- ⊛ ACCIDENTAL (One or two Alaska records, or none in last 30 years)

### Order ANSERIFORMES—Family Anatidae: Geese, Swans, & Ducks

- \_\_\_\_\_ Emperor Goose *Anser canagicus*
- \_\_\_\_\_ Snow Goose *Anser caerulescens*
- \_\_\_\_\_ Ross's Goose *Anser rossii* ★
- \_\_\_\_\_ Greater White-fronted Goose *Anser albifrons*
- \_\_\_\_\_ Lesser White-fronted Goose *Anser erythropus* ★
- \_\_\_\_\_ Taiga Bean-Goose *Anser fabalis* ★
- \_\_\_\_\_ Tundra Bean-Goose *Anser serrirostris* ★
- \_\_\_\_\_ Brant *Branta bernicla*
- \_\_\_\_\_ Cackling Goose *Branta hutchinsii*
- \_\_\_\_\_ Canada Goose *Branta canadensis*
- \_\_\_\_\_ Trumpeter Swan *Cygnus buccinator*
- \_\_\_\_\_ Tundra Swan *Cygnus columbianus*
- \_\_\_\_\_ Whooper Swan *Cygnus cygnus* ✓
- \_\_\_\_\_ Wood Duck *Aix sponsa* ✓
- \_\_\_\_\_ Baikal Teal *Sibirionetta formosa* ★
- \_\_\_\_\_ Garganey *Spatula querquedula* ★
- \_\_\_\_\_ Blue-winged Teal *Spatula discors*
- \_\_\_\_\_ Cinnamon Teal *Spatula cyanoptera* ✓
- \_\_\_\_\_ Northern Shoveler *Spatula clypeata*
- \_\_\_\_\_ Gadwall *Mareca strepera*
- \_\_\_\_\_ Falcated Duck *Mareca falcata* ★
- \_\_\_\_\_ Eurasian Wigeon *Mareca penelope*
- \_\_\_\_\_ American Wigeon *Mareca americana*
- \_\_\_\_\_ Eastern Spot-billed Duck *Anas zonorhyncha* ★
- \_\_\_\_\_ Mallard *Anas platyrhynchos*

- \_\_\_\_\_ American Black Duck *Anas rubripes* ★
- \_\_\_\_\_ Northern Pintail *Anas acuta*
- \_\_\_\_\_ Green-winged Teal *Anas crecca*
- \_\_\_\_\_ Canvasback *Aythya valisineria*
- \_\_\_\_\_ Redhead *Aythya americana*
- \_\_\_\_\_ Common Pochard *Aythya ferina* ★
- \_\_\_\_\_ Ring-necked Duck *Aythya collaris*
- \_\_\_\_\_ Tufted Duck *Aythya fuligula* ✓
- \_\_\_\_\_ Greater Scaup *Aythya marila*
- \_\_\_\_\_ Lesser Scaup *Aythya affinis*
- \_\_\_\_\_ Steller's Eider *Polysticta stelleri*
- \_\_\_\_\_ Spectacled Eider *Somateria fischeri*
- \_\_\_\_\_ King Eider *Somateria spectabilis*
- \_\_\_\_\_ Common Eider *Somateria mollissima*
- \_\_\_\_\_ Harlequin Duck *Histrionicus histrionicus*
- \_\_\_\_\_ Surf Scoter *Melanitta perspicillata*
- \_\_\_\_\_ White-winged Scoter *Melanitta deglandi*
- \_\_\_\_\_ Stejneger's Scoter *Melanitta stejnegeri* ✓
- \_\_\_\_\_ Black Scoter *Melanitta americana*
- \_\_\_\_\_ Long-tailed Duck *Clangula hyemalis*
- \_\_\_\_\_ Bufflehead *Bucephala albeola*
- \_\_\_\_\_ Common Goldeneye *Bucephala clangula*
- \_\_\_\_\_ Barrow's Goldeneye *Bucephala islandica*
- \_\_\_\_\_ Smew *Mergellus albellus* ✓
- \_\_\_\_\_ Hooded Merganser *Lophodytes cucullatus*
- \_\_\_\_\_ Common Merganser *Mergus merganser*
- \_\_\_\_\_ Red-breasted Merganser *Mergus serrator*
- \_\_\_\_\_ Ruddy Duck *Oxyura jamaicensis* ✓
- Order **GALLIFORMES**—Family **Phasianidae: Grouse**
- \_\_\_\_\_ Ruffed Grouse *Bonasa umbellus*
- \_\_\_\_\_ Spruce Grouse *Canachites canadensis*
- \_\_\_\_\_ Willow Ptarmigan *Lagopus lagopus*
- \_\_\_\_\_ Rock Ptarmigan *Lagopus muta*
- \_\_\_\_\_ White-tailed Ptarmigan *Lagopus leucura*
- \_\_\_\_\_ Sooty Grouse *Dendragapus fuliginosus*
- \_\_\_\_\_ Sharp-tailed Grouse *Tympanuchus phasianellus*
- Order **PODICIPEDIFORMES**—Family **Podicipedidae: Grebes**
- \_\_\_\_\_ Pied-billed Grebe *Podilymbus podiceps* ✓
- \_\_\_\_\_ Horned Grebe *Podiceps auritus*
- \_\_\_\_\_ Red-necked Grebe *Podiceps grisegena*
- \_\_\_\_\_ Eared Grebe *Podiceps nigricollis* ★
- \_\_\_\_\_ Western Grebe *Aechmophorus occidentalis*
- Order **COLUMBIFORMES**—Family **Columbidae: Pigeons and Doves**
- \_\_\_\_\_ Band-tailed Pigeon *Patagioenas fasciata* ✓
- \_\_\_\_\_ Oriental Turtle-Dove *Streptopelia orientalis* ★
- \_\_\_\_\_ Eurasian Collared-Dove *Streptopelia decaocto*

- \_\_\_\_\_ White-winged Dove *Zenaida asiatica* ★
- \_\_\_\_\_ Mourning Dove *Zenaida macroura* ✓
- Order **CUCULIFORMES**—Family **Cuculidae: Cuckoos**
- \_\_\_\_\_ Common Cuckoo *Cuculus canorus* ★
- \_\_\_\_\_ Oriental Cuckoo *Cuculus optatus* ★
- \_\_\_\_\_ Yellow-billed Cuckoo *Coccyzus americanus* ★
- Order **CAPRIMULGIFORMES**—Family **Caprimulgidae: Goatsuckers**
- \_\_\_\_\_ Lesser Nighthawk *Chordeiles acutipennis* ☼
- \_\_\_\_\_ Common Nighthawk *Chordeiles minor* ✓
- \_\_\_\_\_ Eastern Whip-poor-will *Antrostomus vociferus* ☼
- \_\_\_\_\_ Gray Nightjar *Caprimulgus jotaka* ☼
- Order **APODIFORMES**
- Family **Apodidae: Swifts**
- \_\_\_\_\_ Black Swift *Cypseloides niger*
- \_\_\_\_\_ Chimney Swift *Chaetura pelagica* ☼
- \_\_\_\_\_ Vaux’s Swift *Chaetura vauxi*
- \_\_\_\_\_ White-throated Needletail *Hirundapus caudacutus* ★
- \_\_\_\_\_ Common Swift *Apus apus* ★
- \_\_\_\_\_ Fork-tailed Swift *Apus pacificus* ★
- Family **Trochilidae: Hummingbirds**
- \_\_\_\_\_ Ruby-throated Hummingbird *Archilochus colubris* ★
- \_\_\_\_\_ Anna’s Hummingbird *Calypte anna*
- \_\_\_\_\_ Costa’s Hummingbird *Calypte costae* ★
- \_\_\_\_\_ Calliope Hummingbird *Selasphorus calliope* ★
- \_\_\_\_\_ Rufous Hummingbird *Selasphorus rufus*
- Order **GRUIFORMES**
- Family **Rallidae: Rails and Coots**
- \_\_\_\_\_ Virginia Rail *Rallus limicola* ★
- \_\_\_\_\_ Sora *Porzana carolina* ✓
- \_\_\_\_\_ Common Moorhen *Gallinula chloropus* ☼
- \_\_\_\_\_ Eurasian Coot *Fulica atra* ☼
- \_\_\_\_\_ American Coot *Fulica americana* ✓
- Family **Gruidae: Cranes**
- \_\_\_\_\_ Sandhill Crane *Antigone canadensis*
- \_\_\_\_\_ Common Crane *Grus grus* ★
- \_\_\_\_\_ Hooded Crane *Grus monacha* ☼
- Order **CHARADRIIFORMES**
- Family **Recurvirostridae: Stilts and Avocets**
- \_\_\_\_\_ Black-winged Stilt *Himantopus himantopus* ★
- \_\_\_\_\_ American Avocet *Recurvirostra americana* ★
- Family **Haematopodidae: Oystercatchers**
- \_\_\_\_\_ Eurasian Oystercatcher *Haematopus ostralegus* ☼
- \_\_\_\_\_ Black Oystercatcher *Haematopus bachmani*
- Family **Charadriidae: Lapwings and Plovers**
- \_\_\_\_\_ Northern Lapwing *Vanellus vanellus* ☼
- \_\_\_\_\_ Black-bellied Plover *Pluvialis squatarola*

- \_\_\_\_\_ European Golden-Plover *Pluvialis apricaria* ★
- \_\_\_\_\_ American Golden-Plover *Pluvialis dominica*
- \_\_\_\_\_ Pacific Golden-Plover *Pluvialis fulva*
- \_\_\_\_\_ Eurasian Dotterel *Charadrius morinellus* ★
- \_\_\_\_\_ Killdeer *Charadrius vociferus*
- \_\_\_\_\_ Common Ringed Plover *Charadrius hiaticula* ✓
- \_\_\_\_\_ Semipalmated Plover *Charadrius semipalmatus*
- \_\_\_\_\_ Little Ringed Plover *Charadrius dubius* ⊛
- \_\_\_\_\_ Lesser Sand-Plover *Charadrius mongolus* ✓
- \_\_\_\_\_ Kentish Plover *Charadrius alexandrinus* ⊛
- \_\_\_\_\_ Snowy Plover *Charadrius nivosus* ⊛
- Family **Scolopacidae: Sandpipers**
- \_\_\_\_\_ Upland Sandpiper *Bartramia longicauda*
- \_\_\_\_\_ Bristle-thighed Curlew *Numenius tahitiensis*
- \_\_\_\_\_ Whimbrel *Numenius phaeopus*
- \_\_\_\_\_ Little Curlew *Numenius minutus* ⊛
- \_\_\_\_\_ Eskimo Curlew *Numenius borealis* ⊛ not since 1886
- \_\_\_\_\_ Long-billed Curlew *Numenius americanus* ★
- \_\_\_\_\_ Far Eastern Curlew *Numenius madagascariensis* ★
- \_\_\_\_\_ Bar-tailed Godwit *Limosa lapponica*
- \_\_\_\_\_ Black-tailed Godwit *Limosa limosa* ★
- \_\_\_\_\_ Hudsonian Godwit *Limosa haemastica*
- \_\_\_\_\_ Marbled Godwit *Limosa fedoa*
- \_\_\_\_\_ Ruddy Turnstone *Arenaria interpres*
- \_\_\_\_\_ Black Turnstone *Arenaria melanocephala*
- \_\_\_\_\_ Great Knot *Calidris tenuirostris* ★
- \_\_\_\_\_ Red Knot *Calidris canutus*
- \_\_\_\_\_ Surfbird *Calidris virgata*
- \_\_\_\_\_ Ruff *Calidris pugnax* ✓
- \_\_\_\_\_ Broad-billed Sandpiper *Calidris falcinellus* ★
- \_\_\_\_\_ Sharp-tailed Sandpiper *Calidris acuminata*
- \_\_\_\_\_ Stilt Sandpiper *Calidris himantopus*
- \_\_\_\_\_ Curlew Sandpiper *Calidris ferruginea* ★
- \_\_\_\_\_ Temminck's Stint *Calidris temminckii* ★
- \_\_\_\_\_ Long-toed Stint *Calidris subminuta* ✓
- \_\_\_\_\_ Spoon-billed Sandpiper *Calidris pygmaea* ★
- \_\_\_\_\_ Red-necked Stint *Calidris ruficollis*
- \_\_\_\_\_ Sanderling *Calidris alba*
- \_\_\_\_\_ Dunlin *Calidris alpina*
- \_\_\_\_\_ Rock Sandpiper *Calidris ptilocnemis*
- \_\_\_\_\_ Purple Sandpiper *Calidris maritima* ⊛
- \_\_\_\_\_ Baird's Sandpiper *Calidris bairdii*
- \_\_\_\_\_ Little Stint *Calidris minuta* ★
- \_\_\_\_\_ Least Sandpiper *Calidris minutilla*
- \_\_\_\_\_ White-rumped Sandpiper *Calidris fuscicollis* ✓
- \_\_\_\_\_ Buff-breasted Sandpiper *Calidris subruficollis*

- \_\_\_\_\_ Pectoral Sandpiper *Calidris melanotos*
- \_\_\_\_\_ Semipalmated Sandpiper *Calidris pusilla*
- \_\_\_\_\_ Western Sandpiper *Calidris mauri*
- \_\_\_\_\_ Short-billed Dowitcher *Limnodromus griseus*
- \_\_\_\_\_ Long-billed Dowitcher *Limnodromus scolopaceus*
- \_\_\_\_\_ Jack Snipe *Lymnocyptes minimus* ★
- \_\_\_\_\_ Solitary Snipe *Gallinago solitaria* ★
- \_\_\_\_\_ Pin-tailed Snipe *Gallinago stenura* ★
- \_\_\_\_\_ Common Snipe *Gallinago gallinago*
- \_\_\_\_\_ Wilson's Snipe *Gallinago delicata*
- \_\_\_\_\_ Terek Sandpiper *Xenus cinereus* ★
- \_\_\_\_\_ Common Sandpiper *Actitis hypoleucos* ✓
- \_\_\_\_\_ Spotted Sandpiper *Actitis macularius*
- \_\_\_\_\_ Green Sandpiper *Tringa ochropus* ★
- \_\_\_\_\_ Solitary Sandpiper *Tringa solitaria*
- \_\_\_\_\_ Gray-tailed Tattler *Tringa brevipes*
- \_\_\_\_\_ Wandering Tattler *Tringa incana*
- \_\_\_\_\_ Lesser Yellowlegs *Tringa flavipes*
- \_\_\_\_\_ Willet *Tringa semipalmata* ★
- \_\_\_\_\_ Spotted Redshank *Tringa erythropus* ★
- \_\_\_\_\_ Common Greenshank *Tringa nebularia* ✓
- \_\_\_\_\_ Greater Yellowlegs *Tringa melanoleuca*
- \_\_\_\_\_ Wood Sandpiper *Tringa glareola*
- \_\_\_\_\_ Marsh Sandpiper *Tringa stagnatilis* ★
- \_\_\_\_\_ Wilson's Phalarope *Phalaropus tricolor* ✓
- \_\_\_\_\_ Red-necked Phalarope *Phalaropus lobatus*
- \_\_\_\_\_ Red Phalarope *Phalaropus fulicarius*
- Family **Glareolidae: Pratincoles**
- \_\_\_\_\_ Oriental Pratincole *Glareola maldivarum* ☼
- Family **Stercorariidae: Jaegers**
- \_\_\_\_\_ South Polar Skua *Stercorarius maccormicki* ★
- \_\_\_\_\_ Pomarine Jaeger *Stercorarius pomarinus*
- \_\_\_\_\_ Parasitic Jaeger *Stercorarius parasiticus*
- \_\_\_\_\_ Long-tailed Jaeger *Stercorarius longicaudus*
- Family **Alcidae: Auks, Murres, & Puffins**
- \_\_\_\_\_ Dovekie *Alle alle* ✓
- \_\_\_\_\_ Common Murre *Uria aalge*
- \_\_\_\_\_ Thick-billed Murre *Uria lomvia*
- \_\_\_\_\_ Black Guillemot *Cephus grylle*
- \_\_\_\_\_ Pigeon Guillemot *Cephus columba*
- \_\_\_\_\_ Long-billed Murrelet *Brachyramphus perdix* ★
- \_\_\_\_\_ Marbled Murrelet *Brachyramphus marmoratus*
- \_\_\_\_\_ Kittlitz's Murrelet *Brachyramphus brevirostris*
- \_\_\_\_\_ Ancient Murrelet *Synthliboramphus antiquus*
- \_\_\_\_\_ Cassin's Auklet *Ptychoramphus aleuticus*
- \_\_\_\_\_ Parakeet Auklet *Aethia psittacula*

- \_\_\_\_\_ Least Auklet *Aethia pusilla*
- \_\_\_\_\_ Whiskered Auklet *Aethia pygmaea*
- \_\_\_\_\_ Crested Auklet *Aethia cristatella*
- \_\_\_\_\_ Rhinoceros Auklet *Cerorhinca monocerata*
- \_\_\_\_\_ Horned Puffin *Fratercula corniculata*
- \_\_\_\_\_ Tufted Puffin *Fratercula cirrhata*
- Family **Laridae: Gulls and Terns**
- \_\_\_\_\_ Black-legged Kittiwake *Rissa tridactyla*
- \_\_\_\_\_ Red-legged Kittiwake *Rissa brevirostris*
- \_\_\_\_\_ Ivory Gull *Pagophila eburnea*
- \_\_\_\_\_ Sabine’s Gull *Xema sabini*
- \_\_\_\_\_ Bonaparte’s Gull *Chroicocephalus philadelphia*
- \_\_\_\_\_ Black-headed Gull *Chroicocephalus ridibundus* ✓
- \_\_\_\_\_ Little Gull *Hydrocoloeus minutus* ★
- \_\_\_\_\_ Ross’s Gull *Rhodostethia rosea*
- \_\_\_\_\_ Laughing Gull *Leucophaeus atricilla* ★
- \_\_\_\_\_ Franklin’s Gull *Leucophaeus pipixcan* ✓
- \_\_\_\_\_ Pallas’s Gull *Ichthyaetus ichthyaetus* ⊕
- \_\_\_\_\_ Black-tailed Gull *Larus crassirostris* ★
- \_\_\_\_\_ Heermann’s Gull *Larus heermanni* ★
- \_\_\_\_\_ Common Gull *Larus canus* ★
- \_\_\_\_\_ Short-billed Gull *Larus brachyrhynchus*
- \_\_\_\_\_ Ring-billed Gull *Larus delawarensis* ✓
- \_\_\_\_\_ Western Gull *Larus occidentalis* ★
- \_\_\_\_\_ California Gull *Larus californicus*
- \_\_\_\_\_ Herring Gull *Larus argentatus*
- \_\_\_\_\_ Iceland Gull *Larus glaucoides*
- \_\_\_\_\_ Lesser Black-backed Gull *Larus fuscus* ★
- \_\_\_\_\_ Slaty-backed Gull *Larus schistisagus*
- \_\_\_\_\_ Glaucous-winged Gull *Larus glaucescens*
- \_\_\_\_\_ Glaucous Gull *Larus hyperboreus*
- \_\_\_\_\_ Great Black-backed Gull *Larus marinus* ★
- \_\_\_\_\_ Sooty Tern *Onychoprion fuscatus* ⊕
- \_\_\_\_\_ Aleutian Tern *Onychoprion aleuticus*
- \_\_\_\_\_ Least Tern *Sternula antillarum* ⊕
- \_\_\_\_\_ Caspian Tern *Hydroprogne caspia* ✓
- \_\_\_\_\_ Black Tern *Chlidonias niger* ★
- \_\_\_\_\_ White-winged Tern *Chlidonias leucopterus* ★
- \_\_\_\_\_ Common Tern *Sterna hirundo* ★
- \_\_\_\_\_ Arctic Tern *Sterna paradisaea*
- \_\_\_\_\_ Sandwich Tern *Thalasseus sandvicensis* ⊕
- Order **GAVIIFORMES**—Family **Gaviidae: Loons**
- \_\_\_\_\_ Red-throated Loon *Gavia stellata*
- \_\_\_\_\_ Arctic Loon *Gavia arctica* ✓
- \_\_\_\_\_ Pacific Loon *Gavia pacifica*
- \_\_\_\_\_ Common Loon *Gavia immer*

- \_\_\_\_\_ Yellow-billed Loon *Gavia adamsii*
- Order **PROCELLARIIFORMES**
- Family **Diomedidae: Albatrosses**
- \_\_\_\_\_ Salvin's Albatross *Thalassarche salvini* ☼
- \_\_\_\_\_ Laysan Albatross *Phoebastria immutabilis*
- \_\_\_\_\_ Black-footed Albatross *Phoebastria nigripes*
- \_\_\_\_\_ Short-tailed Albatross *Phoebastria albatrus* ✓
- Family **Hydrobatidae: Northern Storm-Petrels**
- \_\_\_\_\_ Fork-tailed Storm-Petrel *Hydrobates furcatus*
- \_\_\_\_\_ Leach's Storm-Petrel *Hydrobates leucorhous*
- Family **Procellariidae: Shearwaters and Petrels**
- \_\_\_\_\_ Northern Fulmar *Fulmarus glacialis*
- \_\_\_\_\_ Providence Petrel *Pterodroma solandri* ☼
- \_\_\_\_\_ Mottled Petrel *Pterodroma inexpectata*
- \_\_\_\_\_ Cook's Petrel *Pterodroma cookii* ☼
- \_\_\_\_\_ Wedge-tailed Shearwater *Ardenna pacifica* ☼
- \_\_\_\_\_ Buller's Shearwater *Ardenna bulleri*
- \_\_\_\_\_ Short-tailed Shearwater *Ardenna tenuirostris*
- \_\_\_\_\_ Sooty Shearwater *Ardenna grisea*
- \_\_\_\_\_ Great Shearwater *Ardenna gravis* ★
- \_\_\_\_\_ Pink-footed Shearwater *Ardenna creatopus* ✓
- \_\_\_\_\_ Flesh-footed Shearwater *Ardenna carneipes* ✓
- \_\_\_\_\_ Manx Shearwater *Puffinus puffinus* ✓
- Order **SULIFORMES**
- Family **Fregatidae: Frigatebirds**
- \_\_\_\_\_ Magnificent Frigatebird *Fregata magnificens* ☼
- Family **Sulidae: Boobies and Gannets**
- \_\_\_\_\_ Nazca Booby *Sula granti* ☼
- \_\_\_\_\_ Brown Booby *Sula leucogaster* ★
- \_\_\_\_\_ Red-footed Booby *Sula sula* ★
- Family **Phalacrocoracidae: Cormorants**
- \_\_\_\_\_ Brandt's Cormorant *Urile penicillatus* ✓
- \_\_\_\_\_ Red-faced Cormorant *Urile urile*
- \_\_\_\_\_ Pelagic Cormorant *Urile pelagicus*
- \_\_\_\_\_ Double-crested Cormorant *Nannopterum auritum*
- Order **PELECANIFORMES**
- Family **Pelecanidae: Pelicans**
- \_\_\_\_\_ American White Pelican *Pelecanus erythrorhynchos* ☼
- \_\_\_\_\_ Brown Pelican *Pelecanus occidentalis* ★
- Family **Ardeidae: Bitterns, Herons, & Allies**
- \_\_\_\_\_ American Bittern *Botaurus lentiginosus* ★
- \_\_\_\_\_ Yellow Bittern *Ixobrychus sinensis* ☼
- \_\_\_\_\_ Great Blue Heron *Ardea herodias*
- \_\_\_\_\_ Gray Heron *Ardea cinerea* ★
- \_\_\_\_\_ Great Egret *Ardea alba* ★
- \_\_\_\_\_ Intermediate Egret *Ardea intermedia* ☼

- \_\_\_\_\_ Chinese Egret *Egretta eulophotes* ☼
- \_\_\_\_\_ Little Egret *Egretta garzetta* ☼
- \_\_\_\_\_ Tricolored Heron *Egretta tricolor* ☼
- \_\_\_\_\_ Cattle Egret *Bubulcus ibis* ★
- \_\_\_\_\_ Chinese Pond-Heron *Ardeola bacchus* ★
- \_\_\_\_\_ Green Heron *Butorides virescens* ☼
- \_\_\_\_\_ Black-crowned Night-Heron *Nycticorax nycticorax* ★
- Family **Threskiornithidae: Ibises and Spoonbills**
- \_\_\_\_\_ White-faced Ibis *Plegadis chihi* ☼
- Order **CATHARTIFORMES**—Family **Cathartidae: New World Vultures**
- \_\_\_\_\_ Turkey Vulture *Cathartes aura* ★
- Order **ACCIPITRIFORMES**
- Family **Pandionidae: Ospreys**
- \_\_\_\_\_ Osprey *Pandion haliaetus*
- Family **Accipitridae: Hawks, Eagles, & Allies**
- \_\_\_\_\_ Golden Eagle *Aquila chrysaetos*
- \_\_\_\_\_ Hen Harrier *Circus cyaneus* ☼
- \_\_\_\_\_ Northern Harrier *Circus hudsonius*
- \_\_\_\_\_ Sharp-shinned Hawk *Accipiter striatus*
- \_\_\_\_\_ Eurasian Goshawk *Accipiter gentilis* ☼
- \_\_\_\_\_ American Goshawk *Accipiter atricapillus*
- \_\_\_\_\_ Black Kite *Milvus migrans* ☼
- \_\_\_\_\_ Bald Eagle *Haliaeetus leucocephalus*
- \_\_\_\_\_ White-tailed Eagle *Haliaeetus albicilla* ★
- \_\_\_\_\_ Steller’s Sea-Eagle *Haliaeetus pelagicus* ★
- \_\_\_\_\_ Swainson’s Hawk *Buteo swainsoni* ✓
- \_\_\_\_\_ Red-tailed Hawk *Buteo jamaicensis*
- \_\_\_\_\_ Rough-legged Hawk *Buteo lagopus*
- \_\_\_\_\_ Long-legged Buzzard *Buteo rufinus* ☼
- Order **STRIGIFORMES**—Family **Strigidae: Typical Owls**
- \_\_\_\_\_ Oriental Scops-Owl *Otus sunia* ☼
- \_\_\_\_\_ Western Screech-Owl *Megascops kennicottii* ✓
- \_\_\_\_\_ Great Horned Owl *Bubo virginianus*
- \_\_\_\_\_ Snowy Owl *Bubo scandiacus*
- \_\_\_\_\_ Northern Hawk Owl *Surnia ulula*
- \_\_\_\_\_ Northern Pygmy-Owl *Glaucidium gnoma* ✓
- \_\_\_\_\_ Barred Owl *Strix varia*
- \_\_\_\_\_ Great Gray Owl *Strix nebulosa*
- \_\_\_\_\_ Long-eared Owl *Asio otus* ★
- \_\_\_\_\_ Short-eared Owl *Asio flammeus*
- \_\_\_\_\_ Boreal Owl *Aegolius funereus*
- \_\_\_\_\_ Northern Saw-whet Owl *Aegolius acadicus*
- \_\_\_\_\_ Northern Boobook *Ninox japonica* ☼
- Order **UPUPIFORMES**—Family **Upupidae: Hoopoes**
- \_\_\_\_\_ Eurasian Hoopoe *Upupa epops* ★
- Order **CORACHIFORMES**—Family **Alcedinidae: Kingfishers**



- \_\_\_\_\_ Belted Kingfisher *Megaceryle alcyon*
- Order **PICIFORMES**—Family **Picidae: Woodpeckers**
- \_\_\_\_\_ Eurasian Wryneck *Jynx torquilla* ★
- \_\_\_\_\_ Lewis’s Woodpecker *Melanerpes lewis* ☼
- \_\_\_\_\_ Yellow-bellied Sapsucker *Sphyrapicus varius* ✓
- \_\_\_\_\_ Red-breasted Sapsucker *Sphyrapicus ruber*
- \_\_\_\_\_ American Three-toed Woodpecker *Picoides dorsalis*
- \_\_\_\_\_ Black-backed Woodpecker *Picoides arcticus*
- \_\_\_\_\_ Great Spotted Woodpecker *Dendrocopos major* ★
- \_\_\_\_\_ Downy Woodpecker *Dryobates pubescens*
- \_\_\_\_\_ Hairy Woodpecker *Dryobates villosus*
- \_\_\_\_\_ Northern Flicker *Colaptes auratus*
- Order **FALCONIFORMES**—Family **Falconidae: Falcons**
- \_\_\_\_\_ Eurasian Kestrel *Falco tinnunculus* ★
- \_\_\_\_\_ American Kestrel *Falco sparverius*
- \_\_\_\_\_ Merlin *Falco columbarius*
- \_\_\_\_\_ Eurasian Hobby *Falco subbuteo* ★
- \_\_\_\_\_ Gyrfalcon *Falco rusticolus*
- \_\_\_\_\_ Peregrine Falcon *Falco peregrinus*
- Order **PASSERIFORMES**
- Family **Tyrannidae: Tyrant Flycatchers**
- \_\_\_\_\_ Ash-throated Flycatcher *Myiarchus cinerascens* ☼
- \_\_\_\_\_ Great Crested Flycatcher *Myiarchus crinitus* ★
- \_\_\_\_\_ Tropical Kingbird *Tyrannus melancholicus* ★
- \_\_\_\_\_ Western Kingbird *Tyrannus verticalis* ★
- \_\_\_\_\_ Eastern Kingbird *Tyrannus tyrannus* ★
- \_\_\_\_\_ Scissor-tailed Flycatcher *Tyrannus forficatus* ★
- \_\_\_\_\_ Olive-sided Flycatcher *Contopus cooperi*
- \_\_\_\_\_ Western Wood-Pewee *Contopus sordidulus*
- \_\_\_\_\_ Eastern Wood-Pewee *Contopus virens* ☼
- \_\_\_\_\_ Yellow-bellied Flycatcher *Empidonax flaviventris* ✓
- \_\_\_\_\_ Alder Flycatcher *Empidonax alnorum*
- \_\_\_\_\_ Willow Flycatcher *Empidonax traillii* ★
- \_\_\_\_\_ Least Flycatcher *Empidonax minimus* ✓
- \_\_\_\_\_ Hammond’s Flycatcher *Empidonax hammondii*
- \_\_\_\_\_ Dusky Flycatcher *Empidonax oberholseri* ★
- \_\_\_\_\_ Western Flycatcher *Empidonax difficilis*
- \_\_\_\_\_ Black Phoebe *Sayornis nigricans* ☼
- \_\_\_\_\_ Eastern Phoebe *Sayornis phoebe* ★
- \_\_\_\_\_ Say’s Phoebe *Sayornis saya*
- Family **Vireonidae: Vireos**
- \_\_\_\_\_ Cassin’s Vireo *Vireo cassinii* ✓
- \_\_\_\_\_ Blue-headed Vireo *Vireo solitarius* ☼
- \_\_\_\_\_ Philadelphia Vireo *Vireo philadelphicus* ★
- \_\_\_\_\_ Warbling Vireo *Vireo gilvus*
- \_\_\_\_\_ Red-eyed Vireo *Vireo olivaceus* ★

—Family **Laniidae: Shrikes**

- \_\_\_\_\_ Brown Shrike *Lanius cristatus* ★
- \_\_\_\_\_ Red-backed Shrike *Lanius collurio* ★
- \_\_\_\_\_ Northern Shrike *Lanius borealis*

—Family **Corvidae: Crows and Jays**

- \_\_\_\_\_ Canada Jay *Perisoreus canadensis*
- \_\_\_\_\_ Steller's Jay *Cyanocitta stelleri*
- \_\_\_\_\_ Clark's Nutcracker *Nucifraga columbiana* ★
- \_\_\_\_\_ Black-billed Magpie *Pica hudsonia*
- \_\_\_\_\_ American Crow *Corvus brachyrhynchos*
- \_\_\_\_\_ Common Raven *Corvus corax*

—Family **Paridae: Chickadees**

- \_\_\_\_\_ Black-capped Chickadee *Poecile atricapillus*
- \_\_\_\_\_ Mountain Chickadee *Poecile gambeli* ★
- \_\_\_\_\_ Chestnut-backed Chickadee *Poecile rufescens*
- \_\_\_\_\_ Boreal Chickadee *Poecile hudsonicus*
- \_\_\_\_\_ Gray-headed Chickadee *Poecile cinctus* ✓

—Family **Alaudidae: Larks**

- \_\_\_\_\_ Eurasian Skylark *Alauda arvensis* ✓
- \_\_\_\_\_ Horned Lark *Eremophila alpestris*

—Family **Acrocephalidae: Reed Warblers**

- \_\_\_\_\_ Thick-billed Warbler *Arundinax aedon* ☼
- \_\_\_\_\_ Icterine Warbler *Hippolais icterina* ☼
- \_\_\_\_\_ Sedge Warbler *Acrocephalus schoenobaenus* ☼
- \_\_\_\_\_ Blyth's Reed Warbler *Acrocephalus dumetorum* ★

—Family **Locustellidae: Grassbirds**

- \_\_\_\_\_ Pallas's Grasshopper Warbler *Helopsaltes certhiola* ☼
- \_\_\_\_\_ Middendorff's Grasshopper Warbler *Helopsaltes ochotensis* ★
- \_\_\_\_\_ Lanceolated Warbler *Locustella lanceolata* ★
- \_\_\_\_\_ River Warbler *Locustella fluviatilis* ☼

—Family **Hirundinidae: Swallows**

- \_\_\_\_\_ Bank Swallow *Riparia riparia*
- \_\_\_\_\_ Tree Swallow *Tachycineta bicolor*
- \_\_\_\_\_ Violet-green Swallow *Tachycineta thalassina*
- \_\_\_\_\_ Northern Rough-winged Swallow *Stelgidopteryx serripennis* ✓
- \_\_\_\_\_ Purple Martin *Progne subis* ★
- \_\_\_\_\_ Barn Swallow *Hirundo rustica*
- \_\_\_\_\_ Siberian House-Martin *Delichon lagopodum* ★
- \_\_\_\_\_ Cliff Swallow *Petrochelidon pyrrhonota*

—Family **Phylloscopidae: Leaf Warblers**

- \_\_\_\_\_ Willow Warbler *Phylloscopus trochilus* ★
- \_\_\_\_\_ Common Chiffchaff *Phylloscopus collybita* ★
- \_\_\_\_\_ Wood Warbler *Phylloscopus sibilatrix* ★
- \_\_\_\_\_ Dusky Warbler *Phylloscopus fuscatus* ★
- \_\_\_\_\_ Pallas's Leaf Warbler *Phylloscopus proregulus* ☼
- \_\_\_\_\_ Yellow-browed Warbler *Phylloscopus inornatus* ★

- \_\_\_\_\_ Arctic Warbler *Phylloscopus borealis*
- \_\_\_\_\_ Kamchatka Leaf Warbler *Phylloscopus examinandus* ★
- Family **Sylviidae: Sylviid Warblers**
- \_\_\_\_\_ Lesser Whitethroat *Sylvia curruca* ☼
- Family **Regulidae: Kinglets**
- \_\_\_\_\_ Ruby-crowned Kinglet *Corthylio calendula*
- \_\_\_\_\_ Golden-crowned Kinglet *Regulus satrapa*
- Family **Bombycillidae: Waxwings**
- \_\_\_\_\_ Bohemian Waxwing *Bombycilla garrulus*
- \_\_\_\_\_ Cedar Waxwing *Bombycilla cedrorum*
- Family **Sittidae: Nuthatches**
- \_\_\_\_\_ Red-breasted Nuthatch *Sitta canadensis*
- Family **Certhiidae: Creepers**
- \_\_\_\_\_ Brown Creeper *Certhia americana*
- Family **Troglodytidae: Wrens**
- \_\_\_\_\_ Rock Wren *Salpinctes obsoletus* ☼
- \_\_\_\_\_ Pacific Wren *Troglodytes pacificus*
- \_\_\_\_\_ Marsh Wren *Cistothorus palustris* ☼
- Family **Mimidae: Mockingbirds and Thrashers**
- \_\_\_\_\_ Gray Catbird *Dumetella carolinensis* ★
- \_\_\_\_\_ Brown Thrasher *Toxostoma rufum* ★
- \_\_\_\_\_ Northern Mockingbird *Mimus polyglottos* ★
- Family **Sturnidae: Starlings**
- \_\_\_\_\_ European Starling *Sturnus vulgaris*
- Family **Cinclidae: Dippers**
- \_\_\_\_\_ American Dipper *Cinclus mexicanus*
- Family **Turdidae: Thrushes**
- \_\_\_\_\_ Mountain Bluebird *Sialia currucoides* ✓
- \_\_\_\_\_ Townsend's Solitaire *Myadestes townsendi*
- \_\_\_\_\_ Veery *Catharus fuscescens* ★
- \_\_\_\_\_ Gray-cheeked Thrush *Catharus minimus*
- \_\_\_\_\_ Swainson's Thrush *Catharus ustulatus*
- \_\_\_\_\_ Hermit Thrush *Catharus guttatus*
- \_\_\_\_\_ Wood Thrush *Hylocichla mustelina* ☼
- \_\_\_\_\_ Eyebrowed Thrush *Turdus obscurus* ✓
- \_\_\_\_\_ Dusky Thrush *Turdus eunomus* ★
- \_\_\_\_\_ Naumann's Thrush *Turdus naumanni* ★
- \_\_\_\_\_ Fieldfare *Turdus pilaris* ★
- \_\_\_\_\_ Redwing *Turdus iliacus* ★
- \_\_\_\_\_ Song Thrush *Turdus philomelos* ★
- \_\_\_\_\_ American Robin *Turdus migratorius*
- \_\_\_\_\_ Varied Thrush *Ixoreus naevius*
- Family **Muscicapidae: Old World Flycatchers and Chats**
- \_\_\_\_\_ Gray-streaked Flycatcher *Muscicapa griseisticta* ★
- \_\_\_\_\_ Asian Brown Flycatcher *Muscicapa dauurica* ★
- \_\_\_\_\_ Spotted Flycatcher *Muscicapa striata* ☼

- \_\_\_\_\_ Dark-sided Flycatcher *Muscicapa sibirica* ★
- \_\_\_\_\_ Siberian Blue Robin *Larvivora cyane* ☼
- \_\_\_\_\_ Rufous-tailed Robin *Larvivora sibilans* ★
- \_\_\_\_\_ Bluethroat *Cyanecula svecica*
- \_\_\_\_\_ Siberian Rubythroat *Calliope calliope* ✓
- \_\_\_\_\_ Red-flanked Bluetail *Tarsiger cyanurus* ★
- \_\_\_\_\_ Narcissus Flycatcher *Ficedula narcissina* ☼
- \_\_\_\_\_ Taiga Flycatcher *Ficedula albicilla* ★
- \_\_\_\_\_ Common Redstart *Phoenicurus phoenicurus* ☼
- \_\_\_\_\_ Rufous-tailed Rock-thrush *Monticola saxatilis* ☼
- \_\_\_\_\_ Asian Stonechat *Saxicola maurus* ★
- \_\_\_\_\_ Northern Wheatear *Oenanthe oenanthe*
- \_\_\_\_\_ Pied Wheatear *Oenanthe pleschanka* ☼
- Family **Prunellidae: Accentors**
- \_\_\_\_\_ Siberian Accentor *Prunella montanella* ★
- Family **Passeridae: Old World Sparrows**
- \_\_\_\_\_ House Sparrow *Passer domesticus* ★
- Family **Motacillidae: Wagtails and Pipits**
- \_\_\_\_\_ Eastern Yellow Wagtail *Motacilla tschutschensis*
- \_\_\_\_\_ Citrine Wagtail *Motacilla citreola* ☼
- \_\_\_\_\_ Gray Wagtail *Motacilla cinerea* ★
- \_\_\_\_\_ White Wagtail *Motacilla alba* ✓
- \_\_\_\_\_ Tree Pipit *Anthus trivialis* ★
- \_\_\_\_\_ Olive-backed Pipit *Anthus hodgsoni* ★
- \_\_\_\_\_ Pechora Pipit *Anthus gustavi* ★
- \_\_\_\_\_ Red-throated Pipit *Anthus cervinus*
- \_\_\_\_\_ American Pipit *Anthus rubescens*
- Family **Fringillidae: Fringilline and Cardueline Finches**
- \_\_\_\_\_ Brambling *Fringilla montifringilla*
- \_\_\_\_\_ Evening Grosbeak *Coccothraustes vespertinus* ★
- \_\_\_\_\_ Hawfinch *Coccothraustes coccothraustes* ★
- \_\_\_\_\_ Common Rosefinch *Carpodacus erythrinus* ★
- \_\_\_\_\_ Pallas's Rosefinch *Carpodacus roseus* ☼
- \_\_\_\_\_ Pine Grosbeak *Pinicola enucleator*
- \_\_\_\_\_ Eurasian Bullfinch *Pyrrhula pyrrhula* ★
- \_\_\_\_\_ Asian Rosy-Finch *Leucosticte arctoa* ☼
- \_\_\_\_\_ Gray-crowned Rosy-Finch *Leucosticte tephrocotis*
- \_\_\_\_\_ House Finch *Haemorhous mexicanus* ★
- \_\_\_\_\_ Purple Finch *Haemorhous purpureus* ✓
- \_\_\_\_\_ Cassin's Finch *Haemorhous cassinii* ★
- \_\_\_\_\_ Oriental Greenfinch *Chloris sinica* ★
- \_\_\_\_\_ Common Redpoll *Acanthis flammea*
- \_\_\_\_\_ Hoary Redpoll *Acanthis hornemanni*
- \_\_\_\_\_ Red Crossbill *Loxia curvirostra*
- \_\_\_\_\_ White-winged Crossbill *Loxia leucoptera*
- \_\_\_\_\_ Eurasian Siskin *Spinus spinus* ★

- \_\_\_\_\_ Pine Siskin *Spinus pinus*
- \_\_\_\_\_ American Goldfinch *Spinus tristis* ★
- Family **Calcariidae: Longspurs and Snow Buntings**
- \_\_\_\_\_ Lapland Longspur *Calcarius lapponicus*
- \_\_\_\_\_ Chestnut-collared Longspur *Calcarius ornatus* ☼
- \_\_\_\_\_ Smith's Longspur *Calcarius pictus*
- \_\_\_\_\_ Snow Bunting *Plectrophenax nivalis*
- \_\_\_\_\_ McKay's Bunting *Plectrophenax hyperboreus*
- Family **Emberizidae: Old World Buntings**
- \_\_\_\_\_ Pine Bunting *Emberiza leucocephalos* ★
- \_\_\_\_\_ Yellow-browed Bunting *Emberiza chrysophrys* ☼
- \_\_\_\_\_ Little Bunting *Emberiza pusilla* ★
- \_\_\_\_\_ Rustic Bunting *Emberiza rustica* ✓
- \_\_\_\_\_ Yellow-throated Bunting *Emberiza elegans* ☼
- \_\_\_\_\_ Yellow-breasted Bunting *Emberiza aureola* ★
- \_\_\_\_\_ Gray Bunting *Emberiza variabilis* ★
- \_\_\_\_\_ Pallas's Bunting *Emberiza pallasi* ★
- \_\_\_\_\_ Reed Bunting *Emberiza schoeniclus* ★
- Family **Passerellidae: New World Sparrows and Allies**
- \_\_\_\_\_ Lark Sparrow *Chondestes grammacus* ★
- \_\_\_\_\_ Chipping Sparrow *Spizella passerina*
- \_\_\_\_\_ Clay-colored Sparrow *Spizella pallida* ★
- \_\_\_\_\_ Brewer's Sparrow *Spizella breweri* ✓
- \_\_\_\_\_ Fox Sparrow *Passerella iliaca*
- \_\_\_\_\_ American Tree Sparrow *Spizelloides arborea*
- \_\_\_\_\_ Dark-eyed Junco *Junco hyemalis*
- \_\_\_\_\_ White-crowned Sparrow *Zonotrichia leucophrys*
- \_\_\_\_\_ Golden-crowned Sparrow *Zonotrichia atricapilla*
- \_\_\_\_\_ Harris's Sparrow *Zonotrichia querula* ★
- \_\_\_\_\_ White-throated Sparrow *Zonotrichia albicollis* ✓
- \_\_\_\_\_ Vesper Sparrow *Pooecetes gramineus* ☼
- \_\_\_\_\_ LeConte's Sparrow *Ammospiza leconteii* ☼
- \_\_\_\_\_ Savannah Sparrow *Passerculus sandwichensis*
- \_\_\_\_\_ Song Sparrow *Melospiza melodia*
- \_\_\_\_\_ Lincoln's Sparrow *Melospiza lincolnii*
- \_\_\_\_\_ Swamp Sparrow *Melospiza georgiana* ✓
- \_\_\_\_\_ Spotted Towhee *Pipilo maculatus* ★
- Family **Icteridae: Blackbirds**
- \_\_\_\_\_ Yellow-headed Blackbird *Xanthocephalus xanthocephalus* ★
- \_\_\_\_\_ Bobolink *Dolichonyx oryzivorus* ★
- \_\_\_\_\_ Western Meadowlark *Sturnella neglecta* ★
- \_\_\_\_\_ Orchard Oriole *Icterus spurius* ☼
- \_\_\_\_\_ Hooded Oriole *Icterus cucullatus* ☼
- \_\_\_\_\_ Bullock's Oriole *Icterus bullockii* ★
- \_\_\_\_\_ Red-winged Blackbird *Agelaius phoeniceus*
- \_\_\_\_\_ Brown-headed Cowbird *Molothrus ater* ✓

- \_\_\_\_\_ Rusty Blackbird *Euphagus carolinus*
- \_\_\_\_\_ Brewer's Blackbird *Euphagus cyanocephalus* ★
- \_\_\_\_\_ Common Grackle *Quiscalus quiscula* ★
- Family **Parulidae: Wood-Warblers**
- \_\_\_\_\_ Ovenbird *Seiurus aurocapilla* ★
- \_\_\_\_\_ Northern Waterthrush *Parkesia noveboracensis*
- \_\_\_\_\_ Black-and-white Warbler *Mniotilta varia* ★
- \_\_\_\_\_ Tennessee Warbler *Leiothlypis peregrina* ✓
- \_\_\_\_\_ Orange-crowned Warbler *Leiothlypis celata*
- \_\_\_\_\_ Lucy's Warbler *Leiothlypis luciae* ⊕
- \_\_\_\_\_ Nashville Warbler *Leiothlypis ruficapilla* ★
- \_\_\_\_\_ MacGillivray's Warbler *Geothlypis tolmiei*
- \_\_\_\_\_ Mourning Warbler *Geothlypis philadelphia* ★
- \_\_\_\_\_ Common Yellowthroat *Geothlypis trichas*
- \_\_\_\_\_ American Redstart *Setophaga ruticilla*
- \_\_\_\_\_ Cape May Warbler *Setophaga tigrina* ★
- \_\_\_\_\_ Northern Parula *Setophaga americana* ⊕
- \_\_\_\_\_ Magnolia Warbler *Setophaga magnolia* ★
- \_\_\_\_\_ Bay-breasted Warbler *Setophaga castanea* ⊕
- \_\_\_\_\_ Blackburnian Warbler *Setophaga fusca* ⊕
- \_\_\_\_\_ Yellow Warbler *Setophaga petechia*
- \_\_\_\_\_ Chestnut-sided Warbler *Setophaga pensylvanica* ★
- \_\_\_\_\_ Blackpoll Warbler *Setophaga striata*
- \_\_\_\_\_ Black-throated Blue Warbler *Setophaga caerulescens* ⊕
- \_\_\_\_\_ Palm Warbler *Setophaga palmarum* ✓
- \_\_\_\_\_ Yellow-rumped Warbler *Setophaga coronata*
- \_\_\_\_\_ Yellow-throated Warbler *Setophaga dominica* ⊕
- \_\_\_\_\_ Prairie Warbler *Setophaga discolor* ⊕
- \_\_\_\_\_ Black-throated Gray Warbler *Setophaga nigrescens* ★
- \_\_\_\_\_ Townsend's Warbler *Setophaga townsendi*
- \_\_\_\_\_ Black-throated Green Warbler *Setophaga virens* ⊕
- \_\_\_\_\_ Canada Warbler *Cardellina canadensis* ⊕
- \_\_\_\_\_ Wilson's Warbler *Cardellina pusilla*
- Family **Cardinalidae: Cardinals and Allies**
- \_\_\_\_\_ Scarlet Tanager *Piranga olivacea* ⊕
- \_\_\_\_\_ Western Tanager *Piranga ludoviciana*
- \_\_\_\_\_ Rose-breasted Grosbeak *Pheucticus ludovicianus* ★
- \_\_\_\_\_ Black-headed Grosbeak *Pheucticus melanocephalus* ✓
- \_\_\_\_\_ Blue Grosbeak *Passerina caerulea* ★
- \_\_\_\_\_ Lazuli Bunting *Passerina amoena* ★
- \_\_\_\_\_ Indigo Bunting *Passerina cyanea* ★
- \_\_\_\_\_ Dickcissel *Spiza americana* ⊕

UNSUBSTANTIATED IN ALASKA

- \_\_\_\_\_ Clark's Grebe *Aechmophorus clarkii*
- \_\_\_\_\_ Yellow Rail *Coturnicops noveboracensis*
- \_\_\_\_\_ Baillon's Crane *Zapornia pusilla*

\_\_\_\_ Little Tern *Sternula albifrons*  
\_\_\_\_ Swinhoe's Storm-Petrel *Hydrobates monorhis*  
\_\_\_\_ Murphy's Petrel *Pterodroma ultima*  
\_\_\_\_ Northern Gannet *Morus bassanus*  
\_\_\_\_ Eurasian Bittern *Botaurus stellaris*  
\_\_\_\_ Snowy Egret *Egretta thula*  
\_\_\_\_ Chinese Sparrowhawk *Accipiter soloensis*  
\_\_\_\_ Eurasian Sparrowhawk *Accipiter nisus*  
\_\_\_\_ Cooper's Hawk *Accipiter cooperii*  
\_\_\_\_ Pileated Woodpecker *Dryocopus pileatus*  
\_\_\_\_ Great Tit *Parus major*  
\_\_\_\_ Mugimaki Flycatcher *Ficedula mugimaki*  
\_\_\_\_ Kentucky Warbler *Geothlypis formosa*  
\_\_\_\_ Hermit Warbler *Setophaga occidentalis*

Compiled and maintained by the Alaska Checklist Committee: D. D. Gibson, S. C. Heinl, T. G. Tobish Jr., A. J. Lang, J. J. Withrow, L. H. DeCicco, N. R. Hajdukovich, and R. L. Scher © 2024 University of Alaska Museum, Fairbanks 99775-6960